

# Technical Specifications

Republic of the Philippines  
Department of Health  
CENTER FOR HEALTH DEVELOPMENT CALABARZON

## TECHNICAL SPECIFICATIONS

Item No.:	3	Quantity	2
ABC :	P56,000.00	Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
UV Light Bulb 30W Height: 56" Width: 7 1/2"			

NAME OF COMPANY

ADDRESS

SIGNATURE OVER PRINTED NAME  
OF AUTHORIZED REPRESENTATIVE

TELEPHONE / FAX NO.

# Technical Specifications

Republic of the Philippines  
Department of Health  
CENTER FOR HEALTH DEVELOPMENT CALABARZON

## TECHNICAL SPECIFICATIONS

<b>Item No.:</b>	<b>12</b>	<b>Quantity</b>	<b>1</b>
<b>ABC :</b>	<b>P850,000.00</b>	<b>Country of Origin:</b>	
<b>Brand:</b>		<b>Model:</b>	
<b>PURCHASER'S SPECIFICATION</b>		<b>SUPPLIER'S SPECIFICATION</b>	
<p><b>GEL METHOD FOR CROSSMATCHING DG THERM</b></p> <p>Main Characteristics:</p> <p>2 independent incubation zones with a capacity for 12 DG</p> <p>Gel® cards and 12 test tubes in each zone</p> <p>Digital user interface screen for control and visualization of</p> <p>remaining incubation time and real temperature for each zone</p> <p>Fixed pre-set temperature of 37 °c</p> <p>Pre-set incubation time 15mins, which can be adjust by the user</p> <p>Audible programmable alarm to notify end of incubation period</p> <p>Visual and audible indication of any errors and power failure</p> <p>"Quick procedure guide included</p> <p>"</p> <p>Removable trash bin</p> <p>Technical Specifications:</p> <p>Capacity: 24 DG Gel cards and 24 testing tubes</p> <p>Temperature: 37 0C ±1 0C</p> <p>Time: 15 min. (variable)</p> <p>DG SPIN</p> <p>Main Characteristics:</p> <p>Simultaneous centrifuge of up to 24 DG Gel® cards</p> <p>Removable and exchangeable spinning head</p> <p>Pre-defined centrifugal parameters for optimum DG Gel®</p> <p>cards processing: acceleration, speed, braking and time</p> <p>Digital user interface visor for control and visualization of</p> <p>centrifuge speed and time remaining for processing.</p>			

Programmable audible alarms for end of centrifugal time  
 Visual and audible indication of any error and power failure  
 Imbalance system detects incorrect placing of DG Gel® cards  
     on the spinning head  
 Quick procedure guide included  
 Technical Specifications:  
 Capacity: 24 DG Gel cards  
 Speed: 900 rpm  $\pm$  10  
 Time: 9 min.  
 DG Manual Station  
 Aluminum support with 2 modules DG Gel cards and sample tubes, and two racks for reagents  
 The reagent racks have positions for the dropper caps  
 Capacity for 16 DG Gel cards. 2 bottles of DG Gel Sol diluent,  
     8 vials of reagents (5 and 10 ml), 32 dilution tubes (Ø 13 mm)  
     and 16 sample tubes (Ø 16 mm)  
 Completely adaptable to suit both left-handed and right-handed operators  
 Removable, easy to store racks (4 0C)  
 DG Dispenser Plus  
 Attachable to different types of bottles  
 Convenient for dispensing DG Gel Sol diluent from the bottle  
     precisely and safely when preparing RBC suspensions  
 Easy to use volume adjustment control

---

NAME OF COMPANY

---

ADDRESS

---

SIGNATURE OVER PRINTED NAME  
OF AUTHORIZED REPRESENTATIVE

---

TELEPHONE / FAX NO.

# Technical Specifications

Republic of the Philippines  
Department of Health  
CENTER FOR HEALTH DEVELOPMENT CALABARZON

## TECHNICAL SPECIFICATIONS

Item No.:	13	Quantity	1
ABC :	P350,000.00	Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<b>PLATELET AGITATOR/INCUBATOR</b> See through tempered glass door with magnetic gasket Digital calibration-LCD display of temperature, real date, real time temperature histogram Bacteria resistant; powder coated exterior with high grade stainless steel interior Auto stop/start feature with alarm system Easy pull-out adjustable shelves; perforated falt bed shelves Adjustable speed agitation; Temperature controller; Microprocessor Internal Dimension: 540 x 520 x 634 mm External Dimension: 640 x 685 x 1185 mm Insulation Thickness: 50 mm			

NAME OF COMPANY

ADDRESS

SIGNATURE OVER PRINTED NAME  
OF AUTHORIZED REPRESENTATIVE

TELEPHONE / FAX NO.